



11,000 lb Capacity
Metering controls for recipes
Fill with super sacs
Remote touch pad control
Hydraulic vibrator

Portable/Fork lift staves
Job site/In Plant Operation
Gasoline/Diesel/Electric
7" screw conveyor delivery
Operator Platform



Portable , self contained silo stores up to 11,000 lbs of dry bulk cement or mortar to be used on job sites or in-plant process.

Exclusive metering controls with remote touch pad generate precise recipes for batching into a mixer or process.

The CS-125 is filled by suspending a super sac over the top hatch with a forklift or crane.



Time based metering system delivers operator defined amounts of product to a batch or process.

Easy to operate and simple calibration procedures insure consistent material delivery.

Controls are rated waterproof for outdoor operation.



Optional hydraulic vibrator insures consistent material flow.



Emergency stop switch is standard equipment for units equipped with screw conveyor delivery.



The CS-125 standard material jam gate allows removal of the screw conveyor for maintenance with material in the silo

Direct coupled hydraulic motor powers the screw conveyor, no belts or pulleys to maintain.



CS-125 Silo's are modular additions to the Shortstop® Loading Systems.

Fork lift staves, operator platform & ladder are standard equipment on the CS-125.

Heavy-duty 7" screw conveyor delivery with multiple discharge heights.

Arrives fully assembled and tested.